Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME III

New names, and the final members of new combinations, are in **bold face type**

Abies balsamea, 72
Acrostalagmus, 45
Aecidium, 159, 160; gracilens, 157, 159, 160; Loranthi, 290
Agaricaceae of tropical North America, The—I, 23; II, 79; III, 189; IV, 271
Agaricus, 79, 89; abortivus, 280; aethalus, 278; alborubellus, 277; alphitophyllus, 91; apodactylus, 86; Bertieri, 31; caespitosus, 192; Calyx, 30; campanulatus, 201, 202; campestris, 76, 201, 294; Cantharellus, 196; cepaestipes, 86; cheimonoceps, 86; cheimonophyllus, 91; cretaceus, 86; crinitus, 29, 31; cristatus, 85; cubensis, 91; cyathiformis, 29; dichropus, 193; edodes, 42; guadelupensis, 89; helictus, 274; hemisclerus, 87; hemispilus, 29; hirtus, 29; holoporphyrus, 193; hypoporphyrus, 272; laetifrons, 277; lepideus, 27; leucoconis, 91; luteus, 86; melleorubens, 90; melleus, 90; Molybdites, 89; monadelphus, 192; Morgani, 89; Murraii, 279; oblectus, 167; omphalomorphus, 35; polymyces, 90; rubrotinctus, 88; russaticeps, 42; silvicola, 77; sordescens, 86; sordidus, 195; squamosus, 27; strigosus, 29; subantiquatus, 85; subclypeolarius, 87; tephrostictus, 278; vaginatus, 80
Agave americana, 10
Alectoria, 106–108, 110, 111, 115, 116, 118, 126, 127, 129; bicolor, 109, 121, 123, 149; bicolor Berengeriana, 121, 124; californica, 113, 115, 116; cetrariza, 111–113; chalybeiformis, 108, 109, 119, 121, 122, 124, 125, 149; chalybeiformis prolixa, 127; cincinnati, 109, 142; crinalis, 145; dichotoma, 145; divergens, 108, 109, 112, 117, 124, 149, 150; divergens abbreviata, 127; Fremontii, 109, 128, 129, 132, 134, 136, 149, 150; implexa, 109, 120, 121, 129, 132, 136, 148; jubata, 109, 120–122, 127–129, 131, 132, 135, 136, 140, 148; jubata cana, 128; jubata chalybeiformis, 119, 128; jubata implexa, 128–131, 149; jubata lanestris, 121; jubata minuscula, 131, 132; jubata nitidula, 121; jubata prolixa, 128, 130; jubata stricta, 130; jubata subcana, 128, 131; luteola, 142; nidulifera, 121; nigricans, 109, 137, 150; ochroleuca, 109, 137–144, 147, 150; ochroleuca cincinnati, 108, 141, 150; ochroleuca osteina, 143; ochroleuca rigida, 140; ochroleuca tenuior, 139; oregana, 107–109, 113, 115, 116, 125, 132, 149, 150; osteina, 109, 143, 149; pacifica, 127; prolixa chalybeiformis, 119; prolixa lanestris, 125; sarmentosa, 110, 142, 144, 145, 149, 150; Thulensis, 138; tortuosa, 131, 147; virens, 110, 131, 147–149
Alectoria occurring north of the fifteenth parallel, American species of, 106
Allantospora, 170, 173; radicicola, 170
Alternaria **Forsythiae,** 154
Alternaria, A new species of, 154
Amanita, 24, 77, 79, 175; echinata, 86; muscaria, 42, 80, 175–177, 180, 183, 185–187; phalloides, 77, 175–177, 294; rubescens, 92; solitaria, 86; verna, 77
Amanitopsis, 24, 80, 280; vaginata, 92
Amelanchier, 158, 160
American species of Alectoria occurring north of the fifteenth parallel, 106
Arguments of botanists concerning classification, Views and. The nature and classification of lichens—I, 231
Armillaria, 42; edodes, 42; fracida, 91; mellea, 90, 193; umbilicata, 90
Armillariella, 90
Ascobolus, 61; Crec'hqueraultii, 58; denudatus, 61; immersus, 60; lignatilis, 61; stercorarius, 61; **xylophilus,** 61
Ascophanus argenteus, 60; carneus, 60; cinereus, 60; microsporus, 60
Aspergillus, 45, 172; affinis, 53; laneus, 48
Asterophora Clavus, 24
Atestia, 107

Atriplex, 72–74; patula, 72; patula hastata, 73

Balansia, 207, 223; claviceps, 223; discoidea, 224; Hypoxylon, 223
Barlaea Constellatio, 58; Crec'hquer-aultii, 58
Bartramia pomiformis, 206; Potosica, 206
Bethel, E., Notes on some species of Gymnosporangium in Colorado, 156
Bignonia, 277
Boletus albus, 293; Clintonianus, 77
Botanists concerning classification, Views and arguments of. The nature and classification of lichens—I, 231
Botrytis, 46; fulva, 52
Bresadolia caucasica, 41
Bryopogon, 107
Buchanan, R. E., A new species of Thyrococcum, 1; Morphology of the genus Cephalosporium, with description of a new species and a variety, 170
Bumelia lanuginosa, 7, 18
Burger, O. F., Fawcett, H. S. &, A gum-inducing Diplodia of peach and orange, 151

Calamagrostis, 221
Calicium, 256
Calliospora Diphysae, 288
Calyptospora columnaris, 67, 71
Campanularius **semiglobatus,** 103
Cantharellus, 24; aurantiacus, 293
Capriola Dactylon, 21
Capsicum annuum, 15
Carex, 37; nebraskensis, 38; stellulata angustata, 37, 38
Catathelasma, 43
Celtis mississippiensis, 11, 12; reticulata, 11
Cenangium populneum, 64
Cephalanthus occidentalis, 20
Cephalosporium, 170–173; **Pammelii,** 173, 174; **Pammellii purpurascens,** 173, 174
Cephalosporium, with description of a new species and a variety, Morphology of the genus, 170
Cercospora, 19; **adusta,** 14; **atricincta,** 14; **aurantia,** 15; **Capsici,** 15; **Chrysanthemi,** 15; **Crataegi,** 16; **Elaeagni,** 16; **Fici,** 16; **floricola,** 17; **fulvella,** 17; **lanuginosa,** 17; **Lythracearum,** 18; **macromaculans,** 18; **Malachrae,** 19; **obscura,** 19; **perniciosa,** 19; polymorpha, 19; **Prosopidis,** 20; **xanthicola,** 20
Cetraria, 107, 110, 115, 118, 127; aculeata, 108, 110, 111, 118, 127; californica, 110–113, 116, 149; californica sepincola, 113, 149; californica Tuckermanii, 116; saepincola, 116; tristis, 110, 111
Chamaedaphne, 67, 68; calyculata, 68, 69
Chamaemyces, 79, 91; **alphitophyllus,** 91, 199
Chanterel cinnabarinus, 24; infundibuliformis, 24; mexicanus, 24
Chenopodium, 73, 74; album, 73
Chiogenes, 67
Chloroneuron, 25; **viride,** 25
Chlorophyllum, 25, 79, 89; esculentum, 89, 90; Molybdites, 89; Morgani, 89; viride, 24, 25
Chlorosplenium aeruginosum, 62
Chrysanthemum, 15
Cicada, 219
Cicinnobolus Cesatii Euonymi, 292
Cintractia, 164
Cionothrix praelonga, 288
Citrus Aurantium, 15
Cladonia rangiferina, 140
Cladosporium epibryum, 206; Vincae, 161
Clark, E. D. & Kantor, J. L., Toxicological experiments with some of the higher fungi, 175
Classification of lichens, The nature and—I, Views and arguments of botanists concerning classification, 231
Clasterosporium **diffusum,** 21
Clavaria capitata, 217; farinosa, 209; granulosa, 209; militaris, 208, 209; parasitica, 218; radicosa, 218; sobolifera, 219
Claviceps, 37, 38, 44, 219; caricina, 223; cinereum, 221; microcephala, 221; nigricans, 38, 222; Paspali, 44, 222; purpurea, 220; Rolfsii, 44, 222; Tripsaci, 44, 223
Claviceps, A new host for, 37
Clematis Drummondii, 6
Clitocybe, 189, 190, 192, 193, 195; **Broadwayi,** 192; dealbata sudorifica, 293; geotropa, 41; illudens, 192; **incrustata,** 191; laccata, 190; **mexicana,** 191; monadelpha, 192; multiceps, 186; **niveicolor,** 190; pachylus, 192; proxima, 194; rivulosa, 192; **testaceoflava,** 191; **troyana,** 190
Clitopilus, 279; abortivus, 280
Coenogonium, 248
Coker, W. C. & Wilson, L., Schizosaccharomyces octosporus, 283

Colletotrichum, 205; **caulicolum,** 10; **griseum,** 11
Collybia, 167, 169; dryophila, 101; Shiitake, 42; stridula, 167
Collybidium dryophilum, 101; luxurians, 169
Colorado fungi, Studies in—I. Discomycetes, 57
Colorado, Notes on some species of Gymnosporangium in, 156
Conocybe tener, 100
Conotrema urceolatum, 248
Coprinus, 200, 202, 203; comatus, 78, 200–202; macrosporus, 167; sterquilinus, 166
Coprinus comatus, Note on the reputed poisonous properties of, 200
Cordyceps, 43, 207; acicularis, 208, 211, 225; agariciformia, 209, 217, 224; albella, 219; albida, 219; armeniaca, 208, 215, 225; caloceroides, 219; canadensis, 217; capitata, 217; carolinensis, 211; Cicadae, 219; clavulata, 208, 214, 224; Cockerellii, 209, 216, 225; entomorrhiza, 208, 212, 224; flavella, 208, 212; herculea, 208, 213, 224; insignis, 208, 211; isarioides, 209, 217, 225; Langloisii, 208, 215; Melolonthae, 211; Menesteridis, 212; militaris, 208, 209, 225; Miquelii, 219; nigriceps, 217; ophioglossoides, 218; palustris, 208, 210, 225; parasitica, 209, 218, 225; pistillariaeformis, 214; Ravenelii, 208, 210, 211, 225; sobolifera, 219, 225; sphecocephala, 208, 214, 225; sphecophila, 214; Sphingum, 209, 216, 225; stylophora, 208, 213, 225
Cornicularia, 106; divergens, 117; laeta, 143; lata, 143; ochroleuca nigricans, 137
Cortinarius, 24, 195
Cortinellus, 42; Shiitake, 42
Crataegus, 16, 160
Crepidotus lentinoides, 30
Cronartium Comptoniae, 67
Crouania asperella, 58, 59
Crucibulum crucibuliforme, 103; vulgare, 103
Cryptodiscus atro-cyaneus, 65
Cultures of some heteroecious rusts, 67
Cyathia hirsuta, 102
Cyathus striatus, 102
Cylindrosporium Celtidis, 12; **defoliatum,** 11; **griseum,** 12; **Lippiae,** 12; Negundinis, 8; **solitarium,** 13; **tenuisporum,** 13
Cynara Scolymus, 19
Cystococcus humicola, 108
Cystoderma, 81
Dactylium, 45
Danthonia spicata, 224
Dasyscypha allantospora, 63; arida, 62; **chlorella,** 63; fuscosanguinea, 62; viridula, 63
Dasyspora, 289; faveolata, 289
Dearness, J., The personal factor in mushroom poisoning, 75
Debaryomyces, 287
Dermatea inclusa, 65; macrospora, 65
Description of a new species and a variety, Morphology of the genus Cephalosporium, with, 170
Detonia trachycarpa, 59
Diaporthe parasitica, 291, 292
Dictyophora, 93
Dimerosporium **Parkinsoniae,** 5
Diospyros texana, 7
Diphysa, 288
Diplocladium, 45
Diplodia, 151–153; natalensis, 153
Diplodia of peach and orange, A gum-inducing, 151
Discomycetes. Studies in Colorado fungi—I, 57
Distichlis, 72, 73; spicata, 72, 74
Dothichloe, 223; Hypoxylon, 223

Eccilia, 271, 273; atrides, 273; **cubensis,** 273; **Earlei,** 274; **jamaicensis,** 274; rhodocylix, 273
Echinodontium tinctorium, 293
Elaeagnus, 16
Elaphomyces, 217, 218
Eleocharis, 38, 222, 289
Encalypta rhabdocarpa, 206
Entoloma, 24, 271, 278; **cinchonensis,** 279; lividum, 42; Murraii, 279
Ephelis, 223; borealis, 223; mexicana, 223
Epichloe Hypoxylon, 223
Epicoccum, 1, 3
Epidochium ambiens, 38
Eriophorum, 37
Eualectoria, 107
Euonymus japonicus, 11, 22
Eupatorium populifolium, 288; tubiflorum, 289
Euphorbia adenoptera, 289; lasiocarpa, 289
Evernia, 106, 115; Fremontii, 134; luteola, 142; ochroleuca cincinnati, 141; vulpina, 115
Exosporium **concentricum,** 22
Experiments with some of the higher fungi, Toxicological, 175

Fabronia andina, 206
Factor in mushroom poisoning, The personal, 75

Fawcett, H. S. & Burger, O. F., A gum-inducing Diplodia of peach and orange, 151
Ficus Carica, 16
Fifteenth parallel, American species of Alectoria occurring north of the, 106
Fimetaria, 162, 163
Fink, B., The nature and classification of lichens—I. Views and arguments of botanists concerning classification, 231
Flagellata, 246
Forsythia, 154; suspensa, 154, 155
Fraser, W. P., Cultures of some heteroecious rusts, 67
Fungi, Illustrations of—VIII, 97; IX, 165
Fungi, New species of Texas, 5
Fungi, Studies in Colorado—I. Discomycetes, 57
Fungi, Toxicological experiments with some of the higher, 175
Fusispora, 81

Galera tener, 100
Ganoderma oregonense, 293
Genus Cephalosporium, with description of a new species and a variety, Morphology of the, 170
Genus of myxomycetes, A new, 39
Gillenia stipulacea, 160
Godronia **Betheli,** 64
Gonatobotrys, 54
Gossypium herbaceum, 55
Gouania domingensis, 290
Grimmia Doniana, 206; ovata, 206
Groh, H., A new host for Claviceps, 37
Guatemala, The rusts of—II, 288
Gum-inducing Diplodia of peach and orange, A, 151
Gyalecta, 248
Gymnosporangium, 157, 160; durum, 156; exterum, 160; inconspicuum, 156, 158; juniperinum, 156; **Kernianum,** 157, 158; multiporum, 156, 158; Nelsoni, 157, 158; speciosum, 156, 157, 159, 160
Gymnosporangium in Colorado, Notes on some species of, 156
Gyromitra, 77; esculenta, 76

Hadrotrichum, 45
Harter, L. L., A new species of Alternaria, 154
Heald, F. D. & Wolf, F. A., New species of Texas fungi, 5
Hebeloma, 98, 166; **praecox,** 166
Hedera Helix, 22
Helminthosporium **giganteum,** 21
Helotium citrinum, 62; populinum, 62; sulphuratum, 62
Helvella crispa, 77; elastica, 58; esculenta, 77
Heteroecious rusts, Cultures of some, 67
Hiatula squamulosa, 86
Hicoria pecan, 21
Higher fungi, Toxicological experiments with some of the, 175
Hilaria, 221
Host for Claviceps, A new, 37
Howe, R. H., Jr., American species of Alectoria occurring north of the fifteenth parallel, 106
Humaria orthotricha, 59; rubens, 59
Hyalodidyma, 107
Hyalopus, 170–174; populi, 170
Hyalospora, 107
Hydrocybe, 189, 195, 279; **albo-umbonata,** 195; **aurantia,** 195; **bella,** 196; **Cantharellus,** 196; coccineus, 198; **Earlei,** 196; **flavolutea,** 196; **hondurensis,** 197; **rosea,** 197; **subcaespitosa,** 197; **subflavida,** 197; **subminiata,** 198; **troyana,** 198
Hygrophorus, 24, 189, 195, 199, 204; bellus, 196; Cantharellus, 196; miniatus, 198; **montanus,** 199; **subpratensis,** 199; variolosus, 198
Hymenochaete Ellisii, 54
Hypholoma, 293
Hyphomycetes, Studies in North American—I, 45
Hypnum megaptilum, 206
Hypocreales of North America, Index to species in the, 225
Hypocreales of North America, The —IV, 207
Hypocrella Hypoxylon, 223
Hypoderma lineare, 65
Hyporhodius, 273
Hysterium, 244, 245; compressum, 66
Hysterographium Mori, 66; vulvatum, 66

Illustrations of fungi—VIII, 97; IX, 165
Index to species in the hypocreales of North America, 225
Inocybe, 24, 98, 178, 183–185, 187, 204; **abundans,** 104; **Astoriana,** 104; infelix, 104, 177, 187; infida, 97, 105, 178, 180, 184, 186, 187; **Lorillardiana,** 101
Isaria, 45, 208, 209; Cicadae, 219; farinosa, 209; Sphingum, 216
Ithyphallus, 93; impudicus, 291

Jatropha stimulosa, 9
Juglans nigra, 6; regia, 6
Juniperus, 160; monosperma, 160; utahensis, 157, 159, 160

Kantor, J. L., Clark, E. D. &, Toxicological experiments with some of the higher fungi, 175
Kentrosporium, 219; microcephalum, 221; militare, 209
Kern, F. D., The rusts of Guatemala —II, 288
Krieger, L. C. C., Note on the reputed poisonous properties of Coprinus comatus, 200
Kuehneola albida, 290

Laccaria, 189; laccata, 99, 190; ochropurpurea, 99
Lachnea miniata, 59; scutellata, 59; setosa, 59; umbrorum, 59
Lachnella canescens, 63; corticalis, 63; flammea, 63; resinarius, 63; rhoina, 63
Lachnellula chrysophthalma, 63, 64
Lachnum Engelmanni, 62; viridulum, 63
Lactaria, 24, 25, 168; camphoratus, 293; insulsa, 26; lignyotus, 293; subdulcis, 26, 168
Lagerstroemia indica, 18
Lasiobolus equinus, 61
Lecanora subfusca glabra, 248
Lecidea, 244, 245
Ledum, 67, 69, 70; groenlandicum, 69
Lentinula, 27, 28; cubensis, 28; **detonsa,** 28, 36
Lentinus, 27, 28; albellus, 31; annulatus, 27; blepharodes, 35; caelopus, 35; caespitosus, 192; calvescens, 30; castaneus, 35; chaetoloma, 36; chaetophorus, 29; chrysopeplus, 33; ciliatus, 34; crinitus, 31, 33, 36; cubensis, 28; detonsus, 28; echinopus, 35; estriatus, 30; exilis, 30; fallax, 35; fasciatus, 35; fastuosus, 35; Fockei, 29; fuligineus, 34; fumigatus, 32; furfurosus, 35; fuscopurpureus, 35; glabratus, 36; **graminicola,** 33; **hirtus,** 29, 31; holopogonius, 35; Hookerianus, 35; Kurzianus, 30; Lecomtei, 29; lepideus, 27; Leprieurii, 32; Leveillei, 32; melanophyllus, 30; nepalensis, 35; nicaraguensis, 32; nigripes, 31, 32; paraguayensis, 30; patulus, 29; praerigidus, 30; proximus, 28; pyramidatus, 31; rigidulus, 32; Rivae, 30; Schomburgkii, 32; scyphoides, 34; setiger, 35; similis, 35; siparius, 35; sparsibarbis, 29; striatulus, 29; strigellus, 33; strigosus, 29; stuppeus, 31, 32; subcervinus, 32; submembranaceus, 29; **subscyphoides,** 34; substrigosus, 29; suffrutescens, 27; Swartzii, 31; Tanghiniae, 29; tener, 31; Thwaitesii, 30; tubarius, 31; tuber-regium, 28; vellereus, 30; velutinus, 34; verae-crucis, 25; villosus, 31, 32; Wrightii, 32; Zeyheri, 32; zonatus, 32, 35
Lentodium, 27; **squamosum,** 27, 31
Lepiota, 79–81, 88, 89, 194; **abruptibulba,** 88; americana, 87, 168; asprata, 85; **aspratella,** 84; **Broadwayi,** 84; carminea, 88; cepaestipes, 86; **colimensis,** 82; **cretacea,** 86, 87; cristata, 85; erythrella, 88; farinosa, 86; **flavodisca,** 82; floralis, 85; fulvaster, 84; hemisclerus, 87; ianthina, 82; **jamaicensis,** 87; **lactea,** 81; longistriata, 85; Magnusiana, 86; mammaeformis, 86; Morgani, 168; naucinoides, 76; ochrospora, 89, 90; procera, 81; purpureoconia, 88; **rimosa,** 85; rubrotincta, 83, 88; subclypeolaria, 87; **subcristata,** 83; **subgranulosa,** 83; **subgrisea,** 84; **tepeitensis,** 82; **testacea,** 83
Leptonia, 271; miniata, 272
Leptoniella, 271; **atrosquamosa,** 272; **cinchonensis,** 273; **Earlei,** 272; **hypoporphyra,** 272; **mexicana,** 273; **miniata,** 272; serrulata, 272
Leptonium, 271
Leucomyces, 79, 80; **mexicanus,** 80
Lichen, 106; bicolor, 123; chalybeiformis, 119; jubatus, 127, 150; ochroleucos, 139; sarmentosus, 144, 150
Lichens, The nature and classification of—I. Views and arguments of botanists concerning classification, 231
Ligustrum californicum, 14
Limacella, 79, 81; **agricola,** 81; illinita, 81
Lippia ligustrina, 12; myriocephala, 289
Lobaria, 106
Locellina hiatuloides, 280
Lophodermium arundinaceum, 66
Loranthus, 290
Lycoperdon atropurpureum, 293
Lymacium, 199

Macbride, T. H., A new genus of myxomycetes, 39

Malachra capitata, 19
Malvaviscus, 290
Marasmius, 42, 192; Emerici, 25; obliquus, 25; Sacchari, 291
Mastocephalus, 81; carneo-annulatus, 88
Melampsoropsis abietina, 67, 69; Cassandrae, 67–69; ledicola, 67, 69, 70; Pyrolae, 67, 70
Melanconis modonia, 292; perniciosa, 292
Melanoleuca, 189, 193, 194; **dichropus,** 193; **holoporphyra,** 193; **jalapensis,** 194; **jamaicensis,** 194; melaleuca, 167; **subisabellina,** 194
Microstroma, 45
Mimosa albida floribunda, 288
Mitrula gracilis, 57; irregularis, 58; musicola, 57, 58
Mollisia cinerea, 64; lanaria, 161
Momordica balsamina, 22
Monadelphus, 189, 192; **caespitosus,** 192, 193; illudens, 193
Morchella esculenta, 101
Morphology of the genus Cephalosporium, with description of a new species and a variety, 170
Mucidula, 91
Murrill, W. A., Illustrations of fungi —VIII, 97; IX, 165; The Agaricaceae of tropical North America—I, 23; II, 79; III, 189; IV, 271
Mushroom poisoning, The personal factor in, 75
Mycogone, 45
Myrica, 67
Myxomycetes, A new genus of, 39
Myxotrichum, 45

Nature and classification of lichens, The—I. Views and arguments of botanists concerning classification, 231
Naucoria pennsylvanica, 102; semiorbicularis, 98
Nectria, 43
Neurophyllum ochraceum, 24; viride, 25
New genus of myxomycetes, A, 39
New host for Claviceps, A, 37
New species and a variety, Morphology of the genus Cephalosporium, with description of a, 170
New species of Alternaria, A, 154
New species of Texas fungi, 5
New species of Thyrococcum, A, 1
News and notes, 41, 92, 161, 203, 291
Nolanea, 271, 272, 274; Babingtonii, 274; **cubensis,** 275; helicta, 274; **jamaicensis,** 275
North America, Index to species in the hypocreales of, 225
North America, The Agaricaceae of tropical—I, 23; II, 79; III, 189; IV, 271
North America, The hypocreales of—IV, 207
North American hyphomycetes, Studies in—I, 45
North of the fifteenth parallel, American species of Alectoria occurring, 106
Note on the reputed poisonous properties of Coprinus comatus, 200
Notes, News and, 41, 92, 161, 203, 291
Notes on some species of Gymnosporangium in Colorado, 156
Nothofagus antarctica, 92

Ocellaria aurea, 65; **ocellata,** 65
Oedocephalum, 45
Oidium, 45
Olpitrichum, 53, 54; carpophilum, 54–56; **macrosporum,** 55, 56
Omphalia, 192, 193, 196, 197; Gerardiana, 99; montana, 99; **Volkertii,** 98
Opegrapha, 244, 245
Ophiobolus Gnaphalii, 161; Gnaphalii lanaria, 161; vulgaris, 161
Ophiodothis, 223
Ophionectria Cockerellii, 216
Orange, A gum-inducing Diplodia of peach and, 151
Orbilia flexuosa, 64; vinosa, 64
Oropogon, 107; Loxensis, 149
Otidea leporina, 59
Ozonium, 203

Panaeolus, 100, 201, 202; campanulatus, 201, 202; retirugis, 100
Panicum barbinode, 289
Panus, 28; cubensis, 30; guaraniticus, 33; hirtus, 29; Infundibulum, 30; rudis, 29; stypticus, 105; velutinus, 34; velutipes, 33; Wrightii, 25
Parallel, American species of Alectoria occurring north of the fifteenth, 106
Parkinsonia aculeata, 5
Parmelia, 106; crinita pilosella, 248; rudecta, 248; saxatilis, 248; saxatilis furfuracea, 248
Paspalum, 44, 222
Patellaria, 244, 245; atrata, 64
Paxillus, 24
Peach and orange, A gum-inducing Diplodia of, 151
Penicillium, 2, 45, 172
Peraphyllum, 158

Peridermium, 67, 70–72; abietinum, 67, 69; balsameum, 67, 72; columnare, 67; conorum-Piceae, 67, 70, 71; consimile, 67–69; decolorans, 67, 70; elatinum, 67; Harknessii, 160; Peckii, 67
Peronospora, 251
Personal factor in mushroom poisoning, The, 75
Pertusaria velata, 248
Peziza arida, 62; badia, 60; brunneo-atra, 60; cupularis, 59; flammea, 63; modesta, 58, 59; ocellata, 65
Phaeospora, 107
Phallus Ravenelii, 93
Phaseolus atropurpurea, 289; vulgaris, 10
Phialea phaeconia, 161
Philadelphus, 159, 160; microphyllus, 160; occidentalis, 159, 160
Phleospora **adusta,** 6; **multimaculans,** 6
Pholiota candicans, 165; Glaziovii, 89, 90; praecox, 165
Phoma cercidicola, 161; Halesiae, 161; regina, 161
Phyllosticta **biformis,** 7; **bumeliifolia,** 7; **congesta,** 8; **Verbesinae,** 8
Physospora, 46; elegans, 54; rubiginosa, 47
Phytophthora infestans, 204
Picea, 67–70; canadensis, 69–71; mariana, 69–71; rubra, 68–71
Pinus, 65; contorta, 111, 112
Placodium elegans, 248
Platanus occidentalis, 6
Pleuropus, 271, 279; **abortivus,** 280; **Earlei,** 280
Pleurotus caespitosus, 192; russaticeps, 42
Plicatura guadelupensis, 24, 25; lateritia, 24; **obliqua,** 25
Pluteus, 271, 275, 279; aethalus, 278; alborubellus, 277; cervinus, 275, 276; **Earlei,** 276; **Harrisii,** 277; **jamaicensis,** 278; laetifrons, 277, 278; leoninus, 278; **multistriatus,** 277; nitens, 276; **reticulatus,** 276; **rimosus,** 276; tephrostictus, 278
Pocillaria, 28; cinnamomea, 35; Palmeri, 33; reflexa, 36; simulans, 33; vestida, 32
Poisoning, The personal factor in mushroom, 75
Poisonous properties of Coprinus comatus, Note on the reputed, 200
Polygonum, 289
Polymyces, 79, 90, 91; cinereus, 90
Polyporus recurvatus, 205; squamosus, 41
Polythrincium, 45
Populus tremuloides, 62, 64, 65
Poria bicolor, 205
Pragmopara, 244, 245
Properties of Coprinus comatus, Note on the reputed poisonous, 200
Propolis faginea, 65; versicolor, 65
Prosopis glandulosa, 20
Prunus, 8
Psathyra, 293
Pseudopeziza Medicaginis, 64
Psilocybe Foenisecii, 99
Psilopezia Babingtoni, 58
Puccinia, 289; Eleocharidis, 289; Gouaniae, 290; gregaria, 288; inanipes, 289; Lippiae, 289; Polygoni-amphibii, 289; subnitens, 74
Pucciniastrum arcticum, 67, 72; minimum, 67, 72; Myrtilli, 67; pustulatum, 67, 72; Pyrolae, 67
Punica Granatum, 18
Pyrola, 67, 71; americana, 71; elliptica, 71
Pyropolyporus Calkinsii, 205; igniarius, 205

Quercus nigra, 205

Ramalina calicaris, 110, 111; gracilis, 113
Ramaria farinosa, 209
Ramularia **hedericola,** 21; **Momordicae,** 22
Ravenelia Mimosae-albidae, 288
Reputed poisonous properties of Coprinus comatus, Note on the, 200
Rhinotrichum, 46, 47, 53–55; armeniacum, 47, 49, 56; bellum, 52; **bicolor,** 47, 50, 56; breve, 53; canescens, 46; carneum, 47, 49, 56; corticioides, 54; cucumerinum, 54; Curtisii, 46–49, 52, 56; doliolum, 53; fulvum, 47, 48, 56; fusiferum, 53; herbicolum, 52; **laevisporum,** 47, 49, 56; macrosporum, 54, 55; muricatum, 54; pulveraceum, 52; ramosissimum, 46, 47, 51, 56; ramosissimum marginatum, 52; repens, 47, 50, 56; **rubiginosum,** 47, 56; simplex, 46; subalutaceum, 47, 49, 50, 56; **subferruginosum,** 47, 56; sulfureum, 47, 50, 56; Sumstinei, 48, 56; tenellum, 54; **tenerum,** 47, 51, 56; Thwaitesii fulvum, 48
Rhododendron, 67
Rhodophyllus, 278
Rhodosporus, 279
Rhytisma lineare, 65
Robinia pseudacacia, 13
Rocella, 244, 245

Roestelia, 156, 159, 160; fimbriatum, 156; Harknessianoides, 156
Rosellinia, 163
Rubus, 67; glaucus, 289; idaeus aculeatissimus, 72; poliophyllus, 289
Rulac texana, 8
Russula, 24, 25, 41, 291; **mexicana,** 26; palustris, 26
Russuliopsis, 189
Rusts, Cultures of some heteroecious, 67
Rusts of Guatemala, The—II, 288
Ryparobius crustaceus, 61; pachyascus, 61; sexdecimsporus, 61

Saccharomyces Ludwigii, 287
Saccharum officinarum, 170
Saccobolus Kerverni, 61; neglectus, 61
Salicornia, 73, 74; europea, 73
Sapindus marginatus, 12
Sarcosphaera arenosa, 60
Schenella, 39; **simplex,** 39
Schizophyllum commune, 291
Schizosaccharomyces, 283, 287; asporus, 283; mellacei, 283; octosporus, 283–287; Pombe, 283; 286
Schulzeria Eyrei, 89
Scirpus, 37, 38
Scleroderma, 217; Geaster, 41
Sclerotium Clavus, 219, 220; Paspali, 44, 222; sulcatum, 38, 223
Seaver, F. J., Index to species in the hypocreales of North America, 225; Studies in Colorado fungi—I. Discomycetes, 57; The hypocreales of North America—IV, 207
Sepedonium, 45
Septoria **Jatrophae,** 9; lanaria, 161; **marginata,** 8; **pertusa,** 9
Setaria, 106; trichodes, 131
Solidago canadensis, 52
Some heteroecious rusts, Cultures of, 67
Some of the higher fungi, Toxicological experiments with, 175
Some species of Gymnosporangium in Colorado, Notes on, 156
Sorbus, 160
Sordaria, 162, 163
Sorghum halapense, 9
Sorosporium Reilianum, 164
Species and a variety, Morphology of the genus Cephalosporium, with description of a new, 170
Species in the hypocreales of North America, Index to, 225
Species of Alectoria occurring north of the fifteenth parallel, American, 106
Species of Alternaria, A new, 154
Species of Gymnosporangium in Colorado, Notes on some, 156
Species of Texas fungi, New, 5
Species of Thyrococcum, A new, 1
Spermoedia, 207, 219, 224; cinerea, 220, 221; Clavus, 220; microcephala, 220, 221; nigricans, 220, 222; Paspali, 222; **Rolfsii,** 220, 222; **Stevensii,** 220, 222; **Tripsaci,** 220, 223
Sphacelia, 219; Segetum, 220
Sphacelotheca, 164
Sphaeria, 207; agariciformia, 217; entomorrhiza, 212; herculea, 213; microcephala, 221; ophioglossoides, 218; purpurea, 220; radicosa, 218; sobolifera, 219; Sordaria, 163; sphecocephala, 214
Sphaeropsis tumefaciens, 204
Sphaerospora trechispora, 60
Spirogyra, 284
Sporotrichum, 47; rubiginosum, 46, 47
Stagonospora **gigantea,** 9; macrospora, 10
Stemonitis, 39
Stereocaulon, 107
Stereum purpureum, 292
Stictis radiata, 65
Stilbum, 244, 245
Studies in Colorado fungi—I. Discomycetes, 57
Studies in North American hyphomycetes—I, 45
Suedia maritima, 73
Sumstine, D. R., Studies in North American hyphomycetes—I, 45
Syringa, 18

Taphrina entomospora, 92
Texas fungi, New species of, 5
Theloschistes parietius, 248
Thyrococcum, 3; **humicola,** 3
Thyrococcum, A new species of, 1
Torrubia, 207; capitata, 217; carolinensis, 211; clavulata, 214; entomorrhiza, 212; Melolonthae, 211; militaris, 209; Miquelii, 219; ophioglossoides, 218; pistillariaeformis, 214; Ravenelii, 211; sobolifera, 219; sphecocephala, 214; Sphingum, 216; superficialis, 211
Toxicological experiments with some of the higher fungi, 175
Trametes suaveolens, 80
Tricholoma, 24, 167, 193, 279; alboflavidum, 192; melaleucum, 167; melaleucum thujinum, 167; microcephalum, 167; subcinereum, 168
Tripsacum dactyloides, 44, 220, 223
Trogia cinerea, 24

Tropical North America, The Agaricaceae of—I, 23; II, 79; III, 189; IV, 271
Ulmus crassifolia, 14
Ulota phyllantha, 206
Uncinula magellanica, 92; Nothofagi, 92
Uredo Gouaniae, 290; malvicola, 290
Uromyces, 72, 290; appendiculatus, 289; **Gouaniae,** 290; leptodermis, 289; Peckianus, 72, 74; proëminens, 289; Rubi, 289, 290
Usnea, 106, 115, 128, 129, 244, 245; angulata, 129; barbata, 128, 129, 140; cavernosa, 135; florida, 121; implexa, 131; jubata, 150; jubata nigricans, 127; rigida horsum, 119; trichodea, 115
Ustilaginoidea, 224; Oryzae, 224
Ustilago, 164

Vaccinium, 67, 72
Vaginata, 79, 80; **vaginata,** 80
Variety, Morphology of the genus Cephalosporium, with description of a new species and a, 170
Venenarius, 79, 80
Verbesina texana, 8, 17
Verticillium, 45
Views and arguments of botanists concerning classification. The nature and classification of lichens—I, 231
Volutella Vincae, 161
Volvaria, 280; bombycina, 281; volvacea, 280
Volvariopsis, 271, 280; **Bakeri,** 281; **bombycina,** 280, 281; **cubensis,** 281; **Earlei,** 282; **jamaicensis,** 281
Volvarius, 280

Willia Saturnus, 287
Wilson, L., Coker, W. C. &, Schizosaccharomyces octosporus, 283
Wolf, F. A., Heald, F. D. &, New species of Texas fungi, 5

Xanthium, 21
Xerotinus martinicensis, 24; Mauryi, 24
Xerotus caribaeus, 24; guadelupensis, 25; Mauryi, 25; rawakensis, 25; reniformis, 32; tomentosus, 32
Xylaria gracilis, 212
Xylopia, 288

Yucca rupicola, 17

Zinnia, 14
Zygodesmus, 45, 54; laevisporus, 49
Zygosaccharomyces, 287